


AD Below-knee stockings

AF Half-thigh stockings

AG Thigh stockings

AG Thigh stockings with hip attachment

AT Pantyhose

The fine fashionable stockings

- Juzo® Attractive 2701/2702/2781/2782**
fine-meshed fabric • closed and open toe
- Juzo® Hostess® 2501/2502/2581/2582**
very breathable • closed and open toe
- Juzo® Soft 2001/2002**
soft fabric • closed and open toe

The sporty allround stockings

- Juzo® Soft Rib 2021/2022**
soft fabric • ribbed structure • closed toe
- Juzo® Dynamic Cotton Rib 3521/3522**
sport • ribbed structure • closed toe

The intensive therapy stockings

- Juzo® Dynamic 3511/3512/3513**
durable • closed and open toe
- Juzo® Dynamic Silver 3511/3512/3513**
antibacterial • durable • closed and open toe
- Juzo® Dynamic Cotton 3511/3512**
with cotton • durable • closed and open toe

The compression stocking system

- Juzo® Ulcer Pro 3073**
treatment of crural ulcers • two combined stockings

The experts with seam

- Juzo® Expert 3021/3022/3023/3024**
UV protection • flat seam • closed and open toe
- Juzo® Expert Silver 3021/3022/3023/3024**
antibacterial • flat seam • closed and open toe
- Juzo® Expert Cotton 3021/3022/3023**
with cotton • flat seam • closed and open toe

The strong experts with seam


- Juzo® Expert Strong 3051/3052/3053/3054**
durable • flat seam • closed and open toe
- Juzo® Expert Strong Silver 3051/3052/3053/3054**
antibacterial • flat seam • closed and open toe
- Juzo® Expert Strong Cotton 3052/3053**
with cotton • flat seam • closed and open toe

For detailed product information see Juzo Product overview and Juzo Expert Special-purpose medical garments.

Julius Zorn GmbH · Juliusplatz 1 · 86551 Aichach · Germany
 info@juzo.com · www.juzo.com

PRESCRIPTION RECOMMENDATION

For treatment with medical compression stockings and pantyhose



EN - 141432/03/1/1 - 8861 - 01/2016

Juzo® Freedom in Motion

CCL 1

- beginning varices during pregnancy
- "small" varicose veins without significant tendency to oedema
- prophylaxis of venous disorders
- feelings of tiredness or heaviness in the legs

18–21 mmHg

CCL 2

- primary varices
- secondary varices
- varices during pregnancy
- chronic venous insufficiency
- posttraumatic swelling
- cyclical idiopathic oedema
- phlebothrombosis, thrombosis in the pelvis, post-thrombotic syndrome
- primary and secondary lymphatic oedema with ache
- propensity for oedema formation exists
- after removal of leg veins (e.g. bypass surgery heart)
- after varicose vein sclerosis or operations
- after superficial thrombophlebitis
- post-operatively after vein stripping
- lipoedema

23–32 mmHg

CCL 3

- heavy secondary varices
- heavy chronic venous insufficiency
- atrophie blanche
- dermatosclerosis
- elephantiasis
- phlebothrombosis, thrombosis in the pelvis, post-thrombotic syndrome
- primary and secondary lymphoedema without ache
- severe lymphatic obstruction
- after removal of veins with heavy lymphatic swelling
- recurrent thrombophlebitis
- lipoedema
- after healing of heavy recidive ulcers
- ulcus cruris venosum

34–46 mmHg

CCL 4

- primary and secondary lymphoedema with fibroses
- elephantiasis
- heavy lipohypertrophy with secondary lymphoedema

> 49 mmHg

4

Contraindications and side effects

Absolute contraindications

- advanced peripheral arterial occlusive disease
- decompensated heart diseases
- septic phlebitis
- phlegmasia coerulea dolens

Relative contraindications

- concomitant dermatoses
- intolerance to compression stocking fabric
- sensory disturbances of the limb
- advanced peripheral neuropathy
- primary chronic arthritis

Side effects

There are no known side effects when used as directed. However, if negative alterations (such as for example skin irritations) should occur while the use of our products has been prescribed, please go to your physician or your specialist dealer immediately. If an incompatibility should be known against one or several ingredients of this product, please check back with your physician before use. The manufacturer is not liable for damages/injuries which have been caused by improper handling or misuse.

Endurance

Due to normal wear-and-tear and slackening of the material, the medical efficacy of our standard and custom-made items can only be guaranteed for a maximum wearing period of 6 months, provided it has been handled correctly (e.g. washing, donning and doffing).

Source contraindications and side effects:

Deutsche Gesellschaft für Phlebologie (01.04.2006)

Products

Juzo® Attractive **2701**
 Juzo® Attractive **2781**
 Juzo® Hostess® **2501**
 Juzo® Hostess® **2581**
 Juzo® Soft **2001**
 Juzo® Soft Rib **2021**
 Juzo® Dynamic Cotton Rib **3521**
 Juzo® Dynamic **3511**
 Juzo® Dynamic Silver **3511**
 Juzo® Dynamic Cotton **3511**

Juzo® Attractive **2702**
 Juzo® Attractive **2782**
 Juzo® Hostess® **2502**
 Juzo® Hostess® **2582**
 Juzo® Soft **2002**
 Juzo® Soft Rib **2022**
 Juzo® Dynamic Cotton Rib **3522**
 Juzo® Dynamic **3512**
 Juzo® Dynamic Silver **3512**
 Juzo® Dynamic Cotton **3512**

Juzo® Dynamic **3513**
 Juzo® Dynamic Silver **3513**

Juzo® Expert **3021**
 Juzo® Expert Silver **3021**
 Juzo® Expert Cotton **3021**
 Juzo® Expert Strong **3051**
 Juzo® Expert Strong Silver **3051**

Juzo® Expert **3022**
 Juzo® Expert Silver **3022**
 Juzo® Expert Cotton **3022**
 Juzo® Expert Strong **3052**
 Juzo® Expert Strong Silver **3052**
 Juzo® Expert Strong Cotton **3052**

Juzo® Ulcer Pro **3073**
 Juzo® Expert **3023**
 Juzo® Expert Silver **3023**
 Juzo® Expert Cotton **3023**
 Juzo® Expert Strong **3053**
 Juzo® Expert Strong Silver **3053**
 Juzo® Expert Strong Cotton **3053**

Juzo® Expert **3024**
 Juzo® Expert Silver **3024**

 Juzo® Expert Strong **3054**
 Juzo® Expert Strong Silver **3054**

We recommend a custom-made flat knitted stocking instead of a standard sized circular knitted one if there is demand for a high working pressure or in case of the leg shape (e.g. heavy lymphoedema).